

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	15	(digital adj signal adj processor OR DSP) SAME pipelines SAME (RISC near3 instruction)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:53	
2	BRS	L2	138	(digital adj signal adj processor OR DSP) and ( pipelines SAME (RISC near3 instruction))	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:53	
3	BRS	L3	123	2 not 1	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:53	
4	BRS	L4	59	3 and SIMD	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:54	
5	BRS	L5	58	4 and fetch	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:54	
6	BRS	L6	58	5 and control	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:54	
7	BRS	L7	58	6 and read and write	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:55	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	50	7 and decoder	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:55	
9	BRS	L9	49	8 and multiply	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:55	
10	BRS	L10	1	9 and (circular adj buffer)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:58	
11	BRS	L11	49	9 and pointer	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:58	
12	BRS	L12	49	11 and buffer	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:58	
13	BRS	L13	0	12 and subopcode	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:58	
14	BRS	L14	49	12 and opcode	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 16:59	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
15	BRS	L15	0	14 and (opcode WITH memory WITH store)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 17:00	
16	BRS	L16	0	14 and (opcode WITH memory )	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 17:00	
17	BRS	L17	48	14 and (two WITH registers)	USPAT; US-PGP UB; EPO; JPO; DERWE NT; IBM_TD B	2003/09/10 17:01	